

17
16
15
14
13
12
11
10
9
7
6
5
4
3
2
1

Parts list

No.	Description	Note	Qty.
1	connection tube		1
2	upright frame left		1
3	upright frame right		1
4	bending tube left		1
5	bending tube right		1
6	upper connection tube		1
7	upper bending tube right		1
8	upper bending tube left		1
9	hexagon bolt	M10x75	54
10	lock nut	M10	100
11	washer	Φ10	210
11	washer	Φ10	1
12	chin up bar		4
13	upper plate		1
14	pulley frame tube right		1
15	pulley frame tube left		2
16	upright tube		1
17	tube with hole right		1
18	tube with hole left		4
19	lower plate		1
20	sliding tube right		1
21	sliding tube left		2
22	foot tube cover		2
23	end tube		14
24	hexagon bolt	M10x80	2
26	upper base		2
27	guide rod	Φ25x1850	2
28	lock sleeve		2
29	sliding sleeve		2
30	rubber pad with groove	Φ60xΦ26x45	2
31	safety hook right		1
32	safety hook left		1
33	hexagon bolt	M10x90	8
34	socket set screw	M8x10	2
35	end cap		2


No.	Description	Note	Qty.
36	check ring		2
37	pipe	Φ50x310xT0.5	2
38	button head socket screw	M12x40	2
39	spring washer	Φ12	2
40	washer	Φ12	2
41	barbell rod		1
42	inner pipe	Φ48x298x2.5T	2
43	rubber pad	Φ60xΦ26x25	2
44	rubber pad	Φ60xΦ26x42	4
45	guide rod hollow	Φ25x1955	4
46	reinforcing plate		4
47	weight stack		2
48	hexagon bolt	M10x20	8
49	wire	Φ5x2745mm	2
50	pulley	Φ95	20
51	pulley plate		4
52	hexagon bolt	M10x45	14
53	hexagon bolt	M10x50	4
54	hexagon bolt	M10x25	7
55	weight		2
56	wire	Φ5x4095mm	2
57	"-" shaped pulley frame		2
58	pulley spacer sleeve	Φ20x10.5xL20.5	16
59	pulley	Φ50	6
60	wire		2
61	barbell plate holder		6
63	shield left		1
64	shield right		1
65	hexagon bolt	M6x16	10
66	washer	Φ6	10
67	hook		4
68	“+"slotted countersunk head bolt	M4x12	8
69	lock nut	M4	8
70	hexagon bolt	M8x20	12

No.	Description	Note	Qty.
71	washer	Φ8	12
72	core trainer		1
73	powder metallurgy sleeve		2
74	barbell rod cup		1
75	big washer	Φ25x10x2.0	1
76	hexagon bolt	M10x95	2
77	dip bar left		1
78	dip bar right		1
79	barbell rod holder right		1
80	barbell rod holder left		1
81	barbell rod holder short left		1
82	barbell rod holder short right		1
83	long bar		1
84	ship rod		1
85	hand belt		2
86	pull lift device		1
87	T shape pin	Φ10x100	1
88	leg curl tube		1
89	barbell rod ring		2
90	selector rod		2
91	weight pin		2
92	footplate		1
93	Pedal group		1



STEPS 1

1 connection tube *1PC




2 Upright frame left *1PC




3 Upright frame right *1PC




4 bending tube left *1PC




5 bending tube right *1PC




6 upper connection tube *1PC




7 upper bending tube right*1PC



8 upper bending tube left *1PC



9 hexagon bolt (M10x75)*16PCS





10 lock nut(M10) *16PCS



11 Washer(Φ10)*32PCS








STEPS 2

9 hexagon bolt (M10x75)*38PCS




10 lock nut (M10)*44PCS




11 Washer(Φ10)*88PCS




12 chin up bar*1PC




13 upper plate*4PCS



14 pulley frame tube right *1PC



15 pulley frame tube left *1PC




16 upright tube*2PCS




17 tube with hole right*1PC

18 tube with hole left*1PC


19 lower plate*4PCS




20 sliding tube right *1PC




21 sliding tube left *1PC




22 foot tube cover *2PCS





23 end tube*2PCS




24 hexagon bolt (M10x80)*6PCS




9
15
24
9
11
13
23
21
16
18
14
9
12
20
24
17
9
9
19
10
11
22
9


14
23
24
24
24
9
9
10
11
17
19
22
19
9
9



STEPS 3


10 lock nut(Φ10)*8PCS




11 Washer(Φ10)*16PCS



25 lower base*2PCS



26 upper base*2PCS




27 guide rod Φ25x1850*2PCS

28 lock sleeve*8PCS




29 sliding sleeve*2PCS




30 rubber pad with groove (Φ60xΦ26x45)*2PCS



31 safety hook right*1PC



32 safety hook left*1PC



33 Hexagon bolt (M10X90)*8PCS



34 socket set screw (M8X10)*2PCS




35 end cap*2PCS




36 check ring*2PCS



37 pipe*2PCS (Φ50x310xT0.5)



38 button head socket screw(M12X40)*2PCS




39 spring washer (Φ12)*2PCS




40 washer (Φ12)*2PCS




41 barbell rod*1PC



42 inner pipe*2PCS (Φ48x298x2.5T)





43 rubber pad*2PCS (Φ60xΦ26x25)




89 barbell rod ring*2PCS






33
11
10
26
38
34
37
42
36
29
43
31
30
33
25
41
10
11
33
28
27
35
40
29
43
39
38
89
32
30
33
25



STEPS 4


11 Washer(Φ10)*8PCS 	44 rubber pad (Φ60xΦ26x42)*4PCS 	45 guide rod hollow (Φ25x1955)*4PCS 	46 reinforcing plate*4PCS 	47 weight stack *2PCS 
48 Hexagon bolt (M10x20)*8PCS 	90 Selector rod*2PCS 	91 Weight pin*2PCS 		







STEPS 5


10 lock nut(M10) *6PCS	11 Washer(Φ10)*14PCS	49 wire(Φ5x2745mm)*6PCS	50 Pulley(Φ95)*6PCS	51 Pulley plate*4PCS
52 Hexagon bolt (M10x45)*2PCS	53 Hexagon bolt (M10x50)*4PCS	54 Hexagon bolt (M10x25)*2PCS	55 Weight*2PCS	







STEPS 6


24 Hexagon bolt(M10x80) *4PCS 	10 lock nut(M10) *8PCS 	11 Washer(Φ10)*16PCS 	50 Pulley(Φ95)*6PCS 	52 Hexagon bolt (M10x45)*2PCS 
54 Hexagon bolt (M10x25)*2PCS 	56 wire*2PCS (Φ5x4095mm) 	57 "-" shaped pulley frame*2PCS 	58 pulley spacer sleeve (Φ20x10.5xL20.5)*8PCS 	










STEPS 7




24 Hexagon bolt(M10x80) *4PCS 	10 lock nut(M10) *16PCS 	11 Washer(Φ10)*32PCS 	50 Pulley(Φ95)*8PCS 	52 Hexagon bolt (M10x45)*10PCS 
54 Hexagon bolt (M10x25)*2PCS 	58 pulley spacer sleeve (Φ20x10.5xL20.5)*8PCS 	59 Pulley(Φ50)*6PCS 	60 wire*2PCS 	









STEPS 8


61 Barbell plate holder *6PCS	63 Shield left*1PC	64 Shield right*1PC	65 Hexagon bolt(M6x16) *10PCS	66 washer(Φ6) *10PCS
				
67 Hook*4PCS	68 “+"slotted countersunk head bolt(M4x12)*8PCS	69 Lock nut(M4)*8PCS	70 Hexagon bolt(M8x20) *12PCS	71 washer(Φ8) *12PCS
				






STEPS 9


10 Lock nut(M10) *2PCS	11 Washer(M10)*4PCS	54 Hexagon bolt(M10x25) *1PC	72 Core trainer*1PC	73 Powder metall-urgy sleeve*2PCS
74 Barbell rod cup*1PC	75 Big washer*1PC (Φ25x10x2.0)	76 Hexagon bolt(M10x95) *2PCS		






STEPS 10


77 Dip bar left*1PC




78 Dip bar right*1PC




79 Barbell rod holder right*1PC




80 Barbell rod holder left*1PC




81 Barbell rod holder short left*1PC




82 Darbell rod holder short right*1PC



83 Long bar*1PC



84 Ship rod*1PC




85 Hand belt*1PC

86 Pull lift device *1PC





87 T shape pin*1PC (Φ10x100)



88 Leg curl tube*1PC










STEPS 11


92 footplate*1PC



93 Pedal group*1PC






17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1